WHAT IS CLAIMED IS:

1. A single-direction operation type ratchet wrench structure, comprising:

an elongated handle having one end provided with a socket end, and a ratchet wheel mounted in the socket end and operated in one direction only; and

an identification portion mounted on the handle, and mating with a rotation direction of the single-direction operation type ratchet wrench structure for locking or unlocking a workpiece, so that when a user holds the handle of the single-direction operation type ratchet wrench structure, he may directly identify the correct rotation direction for locking or unlocking the workpiece by the location and the direction of the identification portion on the handle.

2. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion is provided with concave streaks.

3. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion is provided with convex streaks.

4. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion is bonded on the handle.

5. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple

serially arranged upper oblique streaks each directed toward a direction opposite to the socket end of the handle.

6. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple serially arranged lower oblique streaks each directed toward the direction of the socket end of the handle.

7. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple serially arranged serrated teeth formed on a side end face of the handle, thereby increasing the user's touch sensation.

8. The single-direction operation type ratchet wrench structure in accordance with claim 7, wherein the serrated teeth of the identification portion are distributed along the entire side end face of the handle, thereby increasing the user's touch sensation.

9. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple intermittently arranged oblique streaks formed on a side edge of the handle, thereby increasing the user's touch sensation.

10. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple serially arranged arrow-shaped streaks formed on a side edge of the handle, thereby increasing aesthetic quality of the single-direction operation type ratchet wrench structure.

11. The single-direction operation type ratchet wrench structure in accordance with claim 7, wherein the serrated teeth of the identification portion are distributed along the entire side end face of the handle, thereby increasing the user's touch sensation, and the identification portion includes an arrow-shaped streak formed on the surface of the socket end of the handle, thereby facilitating the user identifying the direction of operation of the socket end of the handle.

12. The single-direction operation type ratchet wrench structure in accordance with claim 1, wherein the identification portion includes multiple serially arranged serrated teeth formed on a side end face of the handle, thereby increasing the user's touch sensation, and the identification portion includes an arrow-shaped streak formed on the handle and located adjacent to the socket end of the handle, thereby facilitating the user identifying the direction of operation of the socket end of the handle.